


# List Price Guide

Effective November 1, 2017



Clean the First Time®

## Jackson WWS, Inc.

FLIGHTS / CONVEYORS / DOOR-TYPES / GLASSWASHERS / UNDERCOUNTERS

Phone: 1-888-800-5672 / Web: www.jacksonwws.com / Email: customer.service@jacksonwws.com





## **DISHSTAR® HT-E**

#### High Temperature Sanitizing Undercounter Dishmachine

Recirculating, 27 racks per hour, 0.65 gallons per rack, built-in booster heater with Sani-Sure<sup>™</sup> final rinse system, double wall construction, stainless steel wash pump assembly, pumped drain, universal timer, digital LED control panel, three selectable cycles, deliming cycle, built-in chemical pumps and priming switches, auto fill, auto stop, one peg and one combination rack included. 208-230/60/1

DishStar C







#### High Temperature Sanitizing Undercounter Dishmachine

Fill and dump, 24 racks per hour, 1.1 gallons per rack, built-in booster heater with Sani-Sure<sup>™</sup> final rinse system, double-wall construction, stainless steel wash pump assembly, pumped drain, universal timer, deliming cycle, built-in chemical pumps and priming switches, auto fill, auto stop, one peg and one combination rack included. 208-230/60/1





## DISHSTAR<sup>®</sup> LT

#### Chemical Sanitizing Undercounter Dishmachine

Fill and dump, 24 racks per hour, 1.2 gallons per rack, double wall construction, stainless steel wash pump assembly, pumped drain, universal timer, deliming cycle, low product indicator light, built-in chemical pumps and priming switches, auto stop, auto fill, one peg and one combination rack included. 115/60/1



DishStar LTH With Sustaining Heater \$6,900



## **DELTA® 5-E**

#### Chemical Sanitizing Door-Type Glasswasher/ Dishwasher

Rated by NSF as both a glasswasher and a dishwasher, 40 racks per hour, 1.16 gallons per rack, accommodates glasses and wares up to 11" high, stainless steel wash pump assembly, electromechanical timer, built-in sustainer heater, easy access controls, built-in chemical pumps and priming switches, delimer switch, built-in stainless steel scrap accumulator, side enclosure panels and two half-racks included. 115/60/1

Jacksor

Warewashing Systems



## **DELTA® ROTARY SERIES**

#### Chemical Sanitizing Rotary-Type Glasswasher

Cleans 1,200 glasses per hour, uses 10 gallons of water per hour, single switch operation, built-in chemical pumps and priming switches, hot or cold fresh water final rinse, convenient chemical storage and easy access scrap screens. Clockwise rotation.

Delta 115 115/60/1 \$8,000 *=QUICK-SHIP* 

\$6,900 *≡QUICK-SH*I

Delta 1200 208-230/60/1 \$8,000 *=QUICK-SHIP* 

#### Undercounter & Glasswasher Options & Accessories DishStar HT-E HT & HT-E Models Undercounters Undercounters DishStar HT & DishStar LT Drain Water Tempering Kit Machine Stand 18" Machine Stand **Back Panel** Back Panel Scale Prevention Sys (SPS) 05700-003-33-55 M24STND-6 M24STND-18 05700-004-23-52 06401-002-59-99 04730-003-28-03 \$446 \$210 \$210 \$604 \$578 \$368 **Undercounters** Undercounters 480V Electrical (DishStar HT-E only) Casters (set of 4) \$651 05700-002-37-82 \$105 Sustaining Heater (DishStar LT only) 1/2" Pressure Regulator Delta 1200 & 115 Only \$200 Undercounters 04820-100-04-07 Cartridge for SPS Scrap Tray Water Hammer Arrestor Tie Down Security Package \$189 04730-003-28-04 06401-031-66-21 06401-002-40-56 05700-002-64-67 \$1,575 \$525 \$210 \$315 \$263



## **DYNATEMP®**

#### High Temperature Sanitizing Door-Type Dishmachine

Single rack, electric tank heat, built-in booster heater with Sani-Sure<sup>™</sup> final rinse system, 57 racks per hour, 0.69 gallons per rack, bottom mounted digital LED controls, universal timer, Triple Wash Arm, self-draining stainless steel wash pump, three selectable wash cycles, delimer switch, auto start/stop, exhaust vent fan control, field convertible for straight-through to corner and vice versa, field phase conversion capability. 208-230v, 60Hz, single or three phase.



\*Requires 180° F incoming water







## **TEMPSTAR®**

# *High Temperature Sanitizing Door-Type Dishmachine*

Single rack, electric tank heat, built-in booster heater with Sani-Sure<sup>™</sup> final rinse system, 58 racks per hour, 0.89 gallons per rack, universal timer, self-draining stainless steel wash pump, four selectable wash cycles, top mounted controls, delimer switch, auto start/stop, exhaust vent fan control, field convertible for straight-through to corner and vice versa, field phase conversion capability, front stainless steel dress panel. 208-230v, 60Hz, single or three phase.

#### TempStar

*Electric Tank Heat with* 40 or 70° Rise Booster Heater



TempStar W/O\* Electric Tank Heat without Booster Heater

\$11,130

**TempStar STH\*** Steam Tank Heat (Steam Booster Heater Sold Separately)

\$11,970

TempStar GPX Gas Tank Heat with External Gas Booster Heater

> ENERGY RECOVERY

\$22,995

#### **TEMPSTAR®** WITH VENTLESS & ENERGY RECOVERY

#### High Temperature Sanitizing Door-Type Dishmachine

No vent hood required. Accommodates a wide range of water inlet temperatures and operates with only a cold

water connection. Single rack, electric tank heat, built-in booster heater with Sani-Sure<sup>™</sup> final rinse system, 39 racks per hour, 0.89 gallons per rack, universal timer, self-draining stainless steel wash pump, four selectable wash cycles, top mounted controls, delimer switch, auto start/stop, door interlock, pressure regulator, exhaust vent fan control, field convertible for straight-through to corner and vice versa, field conversion capability, front stainless steel dress panel. 208-230v, 60Hz, single or three phase.

#### TempStar Ventless

Electric Tank Heat with Booster Heater and Ventless & Energy Recovery









## **TEMPSTAR® HH-E**

#### High Temperature Sanitizing Door-Type Dishmachine with Tall Chamber

Single rack, electric tank heat, built-in booster heater with Sani-Sure<sup>™</sup> final rinse system, 27" clearance for larger wares, 55 racks per hour, 0.72 gallons per rack, dual counter-rotating lower wash arms, universal timer, self-draining stainless steel wash pump, four selectable wash cycles, top mounted controls, delimer switch, auto start/stop, exhaust vent fan control, field convertible for straightthrough to corner and vice versa, front stainless steel dress panel. 208-230v, 60Hz, single or three phase.

#### TempStar HH-E

Electric Tank Heat with 40 or 70° Rise Booster Heater

\$15,750

TempStar HH-E W/O\* Electric Tank Heat without Booster Heater



#### TempStar HH STH\*

Steam Tank Heat (Steam Booster Heater Sold Separately)

**\$14,595** 

TempStar HH GPX

Gas Tank Heat with External Gas Booster Heater

> ENERGY, RECOVERY

**\$27,300** 

#### TEMPSTAR<sup>®</sup> HH-E WITH VENTLESS & ENERGY RECOVERY

#### High Temperature Sanitizing Door-Type Dishmachine with Tall Chamber

No vent hood required. Accommodates a wide range of water inlet temperatures and operates with only a

cold water connection. Single rack, electric tank heat, built-in booster heater with Sani-Sure™ final rinse system, 27" clearance for larger wares, 37 racks per hour, 0.72 gallons per rack, dual counter-rotating lower wash arms, universal timer, self-draining stainless steel wash pump, four selectable wash cycles, top mounted controls, delimer switch, auto start/stop, door interlock, pressure regulator, exhaust vent fan control, field convertible for straight-through to corner and vice versa, front stainless steel dress panel. 208-230v, 60Hz, single or three phase.

#### TempStar HH-E Ventless

Electric Tank Heat with Booster Heater and Ventless & Energy Recovery



\*Requires 180° F incoming water



#### DynaTemp<sup>®</sup> & TempStar<sup>®</sup> Series Options & Accessories





## **MODEL 10 A**

#### **Round Dishmachine**

High-temperature sanitizing dishmachine, 45 racks per hour, counterrotating wash arms, manual control back-up system, 171/4" inside chamber clearance, wash and rinse temperature gauges, external vacuum breaker, requires 180° F incoming water supply (optional booster heater available). 208 or 230, single or three phase, 60Hz.

## \$16,000

Model 10 AB Model 10 A plus 6.5kW Built-in Booster Heater (70°F rise)	\$18,000
Model 10 U Model 10 AB for Undercounter Installation	\$17,000
Model 10 APRB Model 10 AB plus 1/2 hp Final Rinse Pump	\$20,000
Model 10 AB/NSU Model 10 AB, 440/60/3	\$24,000
Model 10 AB-N70 Model 10 AB plus 7.7kW Built-in Booster Heater (70°F rise), 440/60/3.	\$25,000

#### Model 10 Options & Accessories



Round Peg Rack Round Combination Rack 07320-100-09-01 07320-100-13-01 \$263 \$210



Round 12-Compartment 07320-100-17-01 \$263



07320-100-08-01

\$105

**Higher Hood** \$1,000







## **CONSERVER® XL-E**

#### Chemical Sanitizing Single Rack Door-Type Dishmachine

Cleans 39 racks per hour, 1.02 gallons per rack, self-draining stainless steel wash pump assembly, electromechanical timer, top mounted controls, delimer switch, low product indicator light, builtin chemical pumps and priming switches, interchangeable upper and lower stainless steel wash/rinse arms, field convertible from straight-through to corner and vice versa, auto start/stop, built-in stainless steel waste accumulator, internal sump. 115/60/1



Conserver XL-E-LTH With Booster Heater \$7,775

Booster heater ensures a continuous supply of 145°F water for excellent results

## **CONSERVER® XL HH**

#### Chemical Sanitizing Single Rack Door-Type Dishmachine with Tall Chamber

Cleans 39 racks per hour, 1.61 gallons per rack, 27" clearance for larger wares, self-draining stainless steel wash pump assembly, electromechanical timer, top mounted controls, delimer switch, low product indicator light, built-in chemical pumps and priming switches, interchangeable upper and lower stainless steel wash/rinse arms, field convertible from straight-through to corner and vice versa, auto start/stop, built-in stainless steel waste accumulator, internal sump. 115/60/1

# Conserver XL HH **\$7,500**



## **CONSERVER® XL2**

#### Chemical Sanitizing Dual Rack Door-Type Dishmachine

Dual rack straight, 74 racks per hour, 1.17 gallons per rack, self-draining stainless steel wash pump assemblies, electromechanical timer, top mounted controls, delimer switch, low product indicator light, built-in chemical pumps and priming switches, interchangeable upper and lower stainless steel wash/ rinse arms, auto start/stop, built-in stainless steel scrap accumulator, internal sump. 115/60/1



# Conserver XL2 **\$8,610**

Conserver XL2C **\$9,135** 

Same specifications as the Conserver XL2, except for corner installations. Specify right front (R) or left front (L) door opening.

## **Conserver® Series Options & Accessories**






## RackStar<sup>®</sup> 44

#### 44" Single Tank Conveyor Dishmachine

Single tank conveyor dishmachine, high temperature or chemical sanitizing, 223 racks per hour, adjustable rinse - Econo (0.35 gallons per rack) or Turbo (0.51 gallons per rack) - with exclusive Rainbow Rinse™ arms, adjustable vent cowl collars, hinged doors with large front access for ease of maintenance, bottom mounted digital LED controls, universal timer, dual-pawl conveyor drive system, EnergyGuard™ system, 19-3/4" standard chamber height, automatic fill, delimer switch, whisper-quiet stainless steel pump assembly, exhaust vent fan control, 15' strike plate table limit switch. 208-230v, 60Hz, single or three phase.






## RackStar<sup>®</sup> 66

#### 66" Single Tank Conveyor Dishmachine (44"+ 22" Pre-Wash)

Single tank conveyor dishmachine with 22" pre-wash, high temperature or chemical sanitizing, 223 racks per hour, adjustable rinse - Econo (0.35 gallons per rack) or Turbo (0.51 gallons per rack) - with exclusive Rainbow Rinse<sup>™</sup> arms, adjustable vent cowl collars, hinged doors with large front access for ease of maintenance, bottom mounted digital LED controls, universal timer, dual-pawl conveyor drive system, EnergyGuard™ system, 19-3/4" standard chamber height, automatic fill, delimer switch, whisper-quiet stainless steel pump assembly, exhaust vent fan control, 15' strike plate table limit switch. 208-230v, 60Hz, single or three phase.



#### RackStar 66CE/CEL Electric Tank Heat - High Temperature

Sanitizing or Chemical Sanitizing (Electric Booster Heater Sold Separately)



RackStar 66CS Steam Tank Heat (Steam Booster Heater Sold Separately)

## \$33,600

#### RackStar 66CE Energy Recovery

Electric Tank Heat with a Built-in 27kW Booster Heater and Energy Recovery

\$40,215

## RackStar<sup>®</sup> Series (only) Options & Accessories


A full listing of conveyor options and accessories is located on page 16



**Onboard Booster Heater** 70° F rise/18kW \$3,150



40° F rise/12kW \$2,625



\*3-phase machines only



1/2" Pressure Regulator 04820-100-04-07 \$189





## AJX-44 SERIES

#### Single Tank Conveyor Dishmachine

Single tank conveyor dishmachine, high temperature or chemical sanitizing, 225 racks per hour and 0.68 gallons per rack for high temperature, 209 racks per hour and 0.78 gallons per rack for chemical sanitizing, Adjust-A-Peak<sup>™</sup> conveyor speed, EnergyGuard<sup>™</sup> system, 25" tall chamber height, automatic fill, top mounted controls, manual/automatic switch, whisper-quiet stainless steel pump assembly, exhaust vent fan control. 208-230v, 60Hz, single or three phase.



## AJX-44

44" Conveyor

AJX-44CE/CEL Electric Tank Heat - High Temperature Sanitizing or Chemical Sanitizing (Electric Booster Heater Sold Separately)

\$19,425

AJX-44CS Steam Tank Heat (Steam Booster Heater Sold Separately)

\$21,000



## AJX-66

66" Conveyor (44" + 22" Pre-Wash)

AJX-66CE/CEL Electric Tank Heat - High Temperature Sanitizing or Chemical Sanitizing (Electric Booster Heater Sold Separately)

AJX-66CS Steam Tank Heat (Steam Booster Heater Sold Separately)

\$32,025



## AJX-80

80" Conveyor (44" + 36" Pre-Wash)

AJX-80CE/CEL Electric Tank Heat - High Temperature Sanitizing or Chemical Sanitizing (Electric Booster Heater Sold Separately)

\$33,075

AJX-80CS Steam Tank Heat (Steam Booster Heater Sold Separately)

\$34,650



## **AJX-54 SERIES**

#### Single Tank Conveyor Dishmachine

Single tank conveyor dishmachine, dual rated for both high temperature and chemical sanitizing, 225 racks per hour and 0.68 gallons per rack for high temperature, 209 racks per hour and 0.78 gallons per rack for chemical sanitizing, Adjust-A-Peak<sup>™</sup> conveyor speed, EnergyGuard<sup>™</sup> system, 25" tall chamber height, automatic fill, top mounted controls, manual/automatic switch, whisper-quiet stainless steel pump assembly, exhaust vent fan control. 208-230v, 60Hz, single or three phase.



## AJX-54

54" Conveyor

AJX-54CE/CEL Electric Tank Heat - High Temperature Sanitizing or Chemical Sanitizing (Electric Booster Heater Sold Separately)

\$26,250

AJX-54CS Steam Tank Heat (Steam Booster Heater Sold Separately)

\$27,825



## AJX-76

76" Conveyor (54" + 22" Pre-Wash)

AJX-76CE/CEL Electric Tank Heat - High Temperature Sanitizing or Chemical Sanitizing (Electric Booster Heater Sold Separately)

(Electric Booster Heater Sold Se \$38,850 AJX-76CS Steam Tank Heat (Steam Booster Heater Sold Separately)

\$40,950



## AJX-90

90" Conveyor (54" + 36" Pre-Wash)

AJX-90CE/CEL

Electric Tank Heat - High Temperature Sanitizing or Chemical Sanitizing (Electric Booster Heater Sold Separately)

\$42,000

AJX-90CS Steam Tank Heat (Steam Booster Heater Sold Separately)

\$44,100



## **AJ-44 SERIES**

#### Single Tank Conveyor Dishmachine with Gas Tank Heat

Single tank, gas tank heat conveyor dishmachine, 248 racks per hour and 0.94 gallons per rack, Adjust-A-Peak<sup>™</sup> conveyor speed, EnergyGuard<sup>™</sup> system, 25" tall chamber height, automatic fill, top mounted controls, manual/automatic switch, whisper-quiet stainless steel pump assembly, exhaust vent fan control. Includes external booster heater. 208-230v, 60Hz, single or three phase.



## AJ-44CGP

**44" Single Tank Conveyor** Gas Tank Heat with External Gas Booster Heater



## \$37,800

## AJ-66CGP

66" Single Tank Conveyor (44" + 22" Pre-Wash) Gas Tank Heat with External Gas Booster Heater



## AJ-80CGP

\$49,350

**80" Single Tank Conveyor** (**44" + 36" Pre-Wash**) Gas Tank Heat with External Gas Booster Heater

## \$52,500

## **AJ-64 SERIES**

#### Dual Tank Conveyor Dishmachine

Dual tank conveyor dishmachine, high temperature sanitizing, 287 racks per hour and 0.77 gallons per rack, Adjust-A-Peak<sup>™</sup> conveyor speed, EnergyGuard<sup>™</sup> system, 25" tall chamber height, automatic fill, top mounted controls, manual/automatic switch, whisper-quiet stainless steel pump assembly, exhaust vent fan control. 208 or 230v, 60Hz, single or three phase.





# 

## AJ-64

64" Dual Tank Conveyor

AJ-64CE/CEL Electric Tank Heat - High Temperature Sanitizing or Chemical Sanitizing (Electric Booster Heater Sold Separately)

\$39,900

AJ-64CGP Gas Tank Heat with External Gas Booster Heater

# \$56,700



### 86" Dual Tank Conveyor (64" + 22" Pre-Wash)

AJ-64CS

AJ-86CS

Steam Tank Heat (Steam Booster

Heater Sold Separately)

\$54,600

Steam Tank Heat (Steam Booster

Heater Sold Separately)

\$42,000

AJ-86CE/CEL Electric Tank Heat - High Temperature Sanitizing or Chemical Sanitizing (Electric Booster Heater Sold Separately)

\$52,500

AJ-86CGP Gas Tank Heat with External Gas Booster Heater

\$68,250

AJ-100

#### 100" Dual Tank Conveyor (64" + 36" Pre-Wash)

AJ-100CE/CEL Electric Tank Heat - High Temperature Sanitizing or Chemical Sanitizing (Electric Booster Heater Sold Separately)

## \$54,600

AJ-100CGP Gas Tank Heat with External Gas Booster Heater

\$71,400

AJ-100CS Steam Tank Heat (Steam Booster Heater Sold Separately)

\$56,700





Warewashing Systems

#### **Conveyor Options & Accessories**

RackStar Models       Onboard Booster Heater       70° F rise/18kW \$3,150       40° F rise/12kW \$2,625	vet Vent Cowl Collar (set of 2)	RackStar & AJX Models Water Hammer Arrestor 05700-002-64-67 \$263	AJ Models AJ Models Water Hammer Arrestor 05700-002-61-29 \$263	Steam Booster Heater 05700-002-98-86 \$5,460
Drain Water Tempering Kit 06401-002-44-07 \$971	15930-121-75-66 05700-002-88 \$420 \$3 05700-002-06-8	mit Switch 3-07 Strike Plate 368 (shown) 33 Whisker Switch 368		for Scaltrol 2-100 89
480V Electrical	All models			
50Hz Cycle				
Dual Point Connection				
Single Point Connection		ard booster, 3-phase o		
1/2" Pressure Regulator		RackStar and AJX mod		
<b>3/4" Pressure Regulator</b> 06685-011-58-22 ( <i>AJ models</i> )				
External Exhaust Fan Contactor Kit 05700-004-35-35			•	
Side Loader 23" Unhooded				
Side Loader 23" Hooded (25" models)   Side Loader 20" Hobes ded			•	
Side Loader   30" Unhooded     Side Loader   30" Hooded (25" models)				
Side Loader		,		•
Blower Dryer Security Package				
		5		C/ 705

#### **Electric Booster Heaters**

C-4	Hatco <sup>®</sup> 4kW	\$2,100	C-18 Hatco® 18kW	\$2,415
C-6	Hatco <sup>®</sup> 6kW	\$2,153	C-24 Hatco <sup>®</sup> 24kW	\$3,224
C-7	Hatco <sup>®</sup> 7kW	\$2,184	C-27 Hatco <sup>®</sup> 27kW	\$3,255
C-9	Hatco <sup>®</sup> 9kW	\$2,216	C-30 Hatco <sup>®</sup> 30kW	\$3,308
C-12	Hatco <sup>®</sup> 12kW	\$2,331	C-36 Hatco <sup>®</sup> 36kW	\$3,465
C-15	Hatco <sup>®</sup> 15kW	\$2,373	C-45 Hatco <sup>®</sup> 45kW	\$3,885
	Hatco <sup>®</sup> 17.2kW		C-54 Hatco <sup>®</sup> 54kW	

Recommended Booster Heater Sizing Chart							
TEMPERATURE	RackStar 44/66	AJX-44/54	AJ-64	AJX-66/76	AJX-80/90	AJ-86	AJ-100
40°F RISE	C-12	C-17	C-36	C-17	C-17	C-36	C-36
70°F RISE	C-17/C-18*	C-30	C-45	C-30	C-30	C-45	C-45

\*Booster size determined by voltage and phase. Contact Customer Service for further assistance.



## **FLIGHT-TYPE MACHINES**



Rainbow Rinse™ produces superior results while significantly reducing water consumption



Specially designed wash arms with nonclogging, convex jets provide equalized water pressure and uniform cleanability



Reliable electromechanical controls and digital temperature readouts for each wash tank and final rinse

Rackless conveyor, cleans 11,094 dishes per hour, 58 gallons of water per hour, Rainbow Rinse<sup>™</sup> final rinse arm, non-clogging wash and rinse arm nozzles, sequential digital temperature readout of each tank, door safety switches, belt tension adjustment, large removable scrap screens.

#### Also available in our 139.2 gallon/14,964 dishes per hour model - JFT

Assembly of all flight sections - including internal wiring, piping, thermometers and leveling of the machine - is performed by Jackson factory-authorized personnel. The Jackson factory authorized personnel will also conduct a performance test and operator training at time of assembly. Final utility connections for plumbing and electrical shall be provided by others and should be conducted by an authorized and licensed tradesman in accordance with local, state and national building codes and guidelines. All Jackson Flight-Type machines come with a one-year Parts & Labor Warranty and a twoyear Preventative Maintenance Program (PMP) through the local Jackson Authorized Service Agency (ASA).

## **Call Factory for Quote**



Jackson WWS List Price Guide

Warewashing Systems

## WATER TREATMENT





Cartridge for SPS 04730-003-28-03 04730-003-28-04 \$604 \$525



Scaltrol Water Treatment Cartridge for Scaltrol 04730-003-05-76 \$368



**RSC-100** \$289

## **DISHTABLES**


DTC-S70-24L	Clean Side 24" - Left side installation \$1,024	DTS-S70-36L	Soil Side 36" - Left side installation \$1,995
DTC-S70-24R	Clean Side 24" - Right side installation \$1,024	DTS-S70-36R	Soil Side 36" - Right side installation \$1,995
DTC-S70-36L	Clean Side 36" - Left side installation \$1,171	DTS-S70-48L	Soil Side 48" - Left side installation \$2,058
DTC-S70-36R	Clean Side 36" - Right side installation \$1,171	DTS-S70-48R	Soil Side 48" - Right side installation \$2,058
DTC-S70-48L	Clean Side 48" - Left side installation \$1,286	DTS-S70-72L	Soil Side 72" - Left side installation \$2,447
DTC-S70-48R	Clean Side 48" - Right side installation \$1,286	DTS-S70-72R	Soil Side 72" - Right side installation \$2,447
DTC-S70-72L	Clean Side 72" - Left side installation \$1,491	DTU-U60-48L	Undercounter Table 48" - Left side <b>\$1,890</b>
DTC-S70-72R	Clean Side 72" - Right side installation \$1,491	DTU-U60-48R	Undercounter Table 48" - Right side \$1,890

Please Call Factory for Custom Dishtable Sizes & Specifications

## **DISHTABLE ACCESSORIES**

B-2147M	Pre-Rinse Spray for use with Overshelf \$604	DT-6R-22-X	Overshelf 42" \$935
B-2175M	Pre-Rinse Spray for use w/o Overshelf \$604	DT-6R-23-X	Overshelf 62"\$1,040
07320-500-01-04	Scrap Block\$278	DTA-100-X	Pre-Rinse Basket with Slide Bar\$525
DTA-SS-42	Undershelf 42"		

## **DISH RACKS**





## **GENERAL INFORMATION**

TERMS OF SALE: Net 30 days.

**FREIGHT TERMS:** F.O.B. Factory prepaid and allowed in the contiguous United States on Jackson manufactured dishmachines, subject to the following surcharges:

Lift-Gate Delivery (44" & smaller)\$75
Call Prior to Delivery\$50
Guaranteed Delivery Date Call Factory

Inside Delivery (44" & smaller)	. \$75
Re-Consignment	\$75
Export or Special Packaging Call Fac	ctory

**WARRANTY/EXTENDED WARRANTY:** All new Jackson manufactured dishmachines are warranted to the original purchaser to be free from defects in material and workmanship, under normal use and operation, for a period of one (1) year from the date of purchase, in the 50 United States of America. Extended warranties are available on new Jackson manufactured dishmachines and must be purchased at the time of equipment order. A one (1) year extended warranty is available at a rate of 6% of the machine's list price and a two (2) year extended warranty is available at a rate of 11% of the machine's list price.



**FREE START-UP:** All new Jackson manufactured dishmachines qualify for a Complimentary Performance & Installation Check by a Jackson Authorized Service Agency (ASA)\*. When the machine is installed by a Jackson ASA, this complimentary service is provided at the time of installation.

When the installation is not performed by the local Jackson ASA we will still conduct the Complimentary Performance & Installation Check to verify the installation was done correctly and that the machine is operating properly. Contact Jackson Technical Service to arrange for this service.

\*Jackson WWS limits travel time to two (2) hours and mileage to one hundred (100) miles round trip. Jackson WWS will not pay for travel time and mileage that exceed this, or any fees such as those for air or boat travel without prior authorization. For machines located beyond the above stated limitations, please contact Jackson Technical Service for assistance via phone, 1-888-800-5672.

**QUICK-SHIP PROGRAM:** All items marked with **Solution** are part of Jackson's Quick Ship Program. Standard shipping for these products is 1 to 2 business days. Please contact Jackson Customer Service for lead times on all other products.

**RETURNS:** All returns must be authorized in writing by Jackson and are subject to a 25% restocking fee and freight charges both ways.

#### ALL PRICES ARE IN U.S. DOLLARS.

ALL PRICES, TERMS, ITEMS & SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

FOR SPECIFIC DETAILS REGARDING PRODUCT SPECIFICATIONS, DIMENSIONS AND CERTIFICATIONS, PLEASE REFER TO THE PRODUCT SPECIFICATION SHEET FOR THE INDIVIDUAL MODEL.





## **ABOUT JACKSON**

Jackson WWS is a full-line supplier of high-quality commercial dishmachines including flights, conveyors, door-types, glasswashers and undercounters. Founded in 1925, Jackson stands by their "Clean the First Time<sup>®</sup>" commitment with dishmachines that deliver optimal cleaning performance while reducing labor, chemical and utility costs. With more standard features, lower operating and acquisition costs and our network of factory-certified technicians, Jackson sets the standard for warewashing. For more information about Jackson and its full line of warewashing solutions, please visit www.jacksonwws.com or call 1.888.800.5672.



Jackson WWS List Price Guide November 1, 2017 rev B

#### Jackson WWS, Inc.

Shipping Address: 6209 North U.S. Highway 25E, Gray, KY 40734 Mailing Address: P.O. Box 1060, Barbourville, KY 40906 Telephone: 888-800-5672 • Fax: 606-523-1799 Email: customer.service@jacksonwws.com 07610-003-59-42 [03/22/18] www.jacksonwws.com



CLICK or SCAN to access the Jackson website