



LIST PRICE GUIDE

Effective October 1, 2025

Clean the First Time®

SEER

STEAM ELIMINATION AND ENERGY RECOVERY




Fan extracts the hot water vapor from the chamber

Vapor passing over the coils inside the heat exchanger provides a 40°F rise in temperature to the water inside the coils

The now-cooler vapor returns back into the chamber, condenses, and is channeled into the wash tank

This process virtually eliminates the steam inside the chamber



Cutaway side view of the DishStar® HT-E-SEER



DISHSTAR® HT-E-SEER

High Temperature Sanitizing Undercounter Dishmachine with Steam Elimination & Energy Recovery

Recirculating, 24 (20)* racks per hour, 0.60 gallons per rack, built-in booster heater with Sani-Sure™ final rinse system, double wall construction, stainless steel wash pump assembly, pumped drain, solid state controls, digital LED display, three selectable cycles, delime cycle, built-in chemical pumps and priming switches, auto fill, auto stop, one peg and one combination rack included. 208-230/60/1

\$14,747 **QUICK-SHIP**



DISHSTAR® ADA-SEER

ADA Compliant High Temperature Sanitizing Undercounter Dishmachine with Steam Elimination & Energy Recovery

Recirculating, 24 (20)* racks per hour, 0.60 gallons per rack, built-in booster heater with Sani-Sure™ final rinse system, fits easily beneath 34" countertops, Soft Start, double wall construction, stainless steel wash pump assembly, pumped drain, solid state controls, digital LED display, three selectable cycles, delime cycle, built-in chemical pumps and priming switches, auto fill, auto stop, one peg and one combination rack included. 208-230/60/1


\$15,299 **QUICK-SHIP**



*Racks per hour calculated with NSF load time

**DISHSTAR® HT-E*****High Temperature Sanitizing Undercounter Dishmachine***

Recirculating, 36 (27)* racks per hour, 0.60 gallons per rack, built-in booster heater with Sani-Sure™ final rinse system, double wall construction, stainless steel wash pump assembly, pumped drain, solid state controls, digital LED control panel, three selectable cycles, delime cycle, built-in chemical pumps and priming switches, auto fill, auto stop, one peg and one combination rack included. 208-230/60/1

\$12,709 **QUICK-SHIP****DISHSTAR® HT*****High Temperature Sanitizing Undercounter Dishmachine***

Fill and dump, 30 (24)* racks per hour, 1.1 gallons per rack, built-in booster heater with Sani-Sure™ final rinse system, double-wall construction, stainless steel wash pump assembly, pumped drain, solid state controls with three selectable cycles, delime cycle, LED temperature display, built-in chemical pumps and priming switches, auto fill, auto stop, one peg and one combination rack included. 208-230/60/1

\$12,187 **QUICK-SHIP****DISHSTAR® LT*****Chemical Sanitizing Undercounter Dishmachine***

Fill and dump, 30 (24)* racks per hour, 1.16 gallons per rack, double wall construction, stainless steel wash pump assembly, pumped drain, solid state controls, delime cycle, low chemical indicator light, built-in chemical pumps and priming switches, auto fill, auto stop, one peg and one combination rack included. 115/60/1

DishStar LT**\$11,664** **QUICK-SHIP****DishStar LTH***With Sustaining Heater***\$12,010**

*Racks per hour calculated with NSF load time

SEER

STEAM ELIMINATION AND ENERGY RECOVERY



DELTA® HT-E-SEER MODELS

High Temperature Sanitizing Glasswasher with Steam Elimination & Energy Recovery

Recirculating, 24 (20)* racks per hour, 0.60 gallons per rack, Soft Start, built-in booster heater with Sani-Sure™ final rinse system, double wall construction, stainless steel wash pump assembly, pumped drain, solid state controls, digital LED display, three selectable cycles, delime cycle, built-in chemical pumps and priming switches, auto fill, auto stop, back dress panel, one peg and one combination rack included. 208-230/60/1

Delta HT-E-SEER-T *Tall/Freestanding*

\$15,419 **QUICK-SHIP**



Delta HT-E-SEER-S *Short/Underbar*

\$15,419 **QUICK-SHIP**

Delta HT-E-SEER *Without Stand*

\$14,757 **QUICK-SHIP**



*Racks per hour calculated with NSF load time

**DELTA® 5-E****Chemical Sanitizing Door-Type Glasswasher/Dishwasher**

Functions as both a glasswasher and a dishwasher, 39 (29)* racks per hour, 1.15 gallons per rack, accommodates glasses and wares up to 11" high, stainless steel wash pump assembly, electronic timer, built-in sustainer heater, easy access controls, built-in chemical pumps and priming switches, delime switch, and built-in stainless steel scrap accumulator. 115/60/1

\$12,010 **QUICK-SHIP**

Internal storage for
three one-gallon
containers

DELTA® ROTARY SERIES**Chemical Sanitizing Rotary-Type Glasswasher**

Cleans 1,200 glasses per hour, uses 10 gallons of water per hour, single switch operation, built-in chemical pumps and priming switches, hot or cold fresh water final rinse, convenient chemical storage and easy access scrap screens. Clockwise rotation.

Delta 115 115/60/1

\$13,926 **QUICK-SHIP**

Delta 1200 208-230/60/1

\$13,926 **QUICK-SHIP**

*Racks per hour calculated with NSF load time

Undercounter & Glasswasher Options & Accessories

DishStar Models & Delta
HT-E-SEER

6" Machine Stand
M24STND-6
\$777



DishStar Models

18" Machine Stand
M24STND-18
\$1,006




All DishStar Models &
Delta HT-E-SEER (no stand)

Tie Down Set
06401-002-40-56
\$365



Water Hammer Arrestor
05700-002-64-67
\$458



Pressure Regulator
04820-100-04-07
\$327



Scale Prevention Sys (SPS)
04730-003-28-03
\$1,049



Cartridge for SPS
04730-003-28-04
\$914



Scrap Tray
06401-031-66-21
\$549

460V Electrical (DishStar HT-E & SEER) **\$1,136****Drain Water Tempering Kit**

06401-004-60-64 **\$641**
(DishStar HT, HT-E & HT-E-SEER models)
06401-004-56-12 (DishStar HT-E 460V) **\$641**
06401-004-59-11 (Delta HT-E-SEER &
DishStar ADA-SEER models) **\$641**

Back Panel

05700-004-23-52 (DishStar HT-E) **\$365**
05700-003-33-55 (DishStar HT & LT) **\$365**
05700-004-58-14 (DishStar HT-E-SEER) **\$365**

Side Enclosure Panels Kit

05700-003-46-55 (Delta 5-E) **\$365**

Tall Stand for Delta HT-E-SEER

05700-004-54-13 (13¾") **\$868**

Castors (set of 4)

05700-002-37-82 (DishStar models &
Delta HT-E-SEER w/out stand) **\$183**



DYNASTAR® WITH VENTLESS & ENERGY RECOVERY



High Temperature Sanitizing Door-Type Dishmachine

No vent hood required. Accommodates a wide range of water inlet temperatures and operates with only a cold water connection. Single rack, electric tank heat, pumped rinse, built-in booster heater with Sani-Sure™ final rinse system, 40 (38)* racks per hour, 0.70 gallons per rack, bottom mounted control panel with digital LED display, solid state controls, onboard diagnostics, Triple Wash Arm, adjustable rinse system, self-draining stainless steel wash pump, three selectable cycles, delime cycle, auto start/stop, door interlock, exhaust vent fan control, field convertible for straight-through to corner and vice versa†, field phase conversion capability†. 208-230v, 60Hz, single or three phase.



\$31,335 **QUICK-SHIP**



DYNASTAR®

High Temperature Sanitizing Door-Type Dishmachine

Single rack, electric tank heat, pumped rinse, built-in booster heater with Sani-Sure™ final rinse system, 62 (57)* racks per hour, 0.70 gallons per rack, bottom mounted control panel w/digital LED display, solid state controls, onboard diagnostics, Triple Wash Arm, adjustable rinse system, self-draining stainless steel wash pump, three selectable cycles, delime cycle, auto start/stop, exhaust vent fan control, field convertible for straight-through to corner and vice versa†, field phase conversion capability†. 208-230v, 60Hz, single or three phase.

DynaStar

Electric Tank Heat with
40-70° Rise Booster Heater

\$24,372 **QUICK-SHIP**

DynaStar W/O*

Electric Tank Heat
without Booster Heater, no pumped rinse



\$20,892

*Requires 180° F incoming water
†Kit required, sold separately

*Racks per hour calculated with NSF load time



DYNASTAR® HH-E **WITH VENTLESS & ENERGY RECOVERY**



High Temperature Sanitizing Door-Type Dishmachine with Tall Chamber

No vent hood required. Accommodates a wide range of water inlet temperatures and operates with only a cold water connection. Single rack, electric tank heat, pumped rinse, built-in booster heater with Sani-Sure™ final rinse system, 40 (38)* racks per hour, 0.72 gallons per rack, digital LED display, solid state controls, onboard diagnostics, 27" clearance for larger ware, triple wash arm system, adjustable rinse system, self-draining stainless steel wash pump, three selectable cycles, delime cycle, auto start/stop, door interlock, exhaust vent fan control, field convertible for straight-through to corner and vice versa†, field phase conversion capability†. 208-230v, 60Hz, single or three phase.

\$37,713 **QUICK-SHIP**



DYNASTAR® HH-E

High Temperature Sanitizing Door-Type Dishmachine with Tall Chamber

Single rack, electric tank heat, pumped rinse, built-in booster heater with Sani-Sure™ final rinse system, 62 (57)* racks per hour, 0.72 gallons per rack, digital LED display, solid state controls, onboard diagnostics, 27" clearance for larger ware, triple wash arm system, adjustable rinse system, self-draining stainless steel wash pump, three selectable cycles, delime cycle, auto start/stop, exhaust vent fan control, field convertible for straight-through to corner and vice versa†, field phase conversion capability†. 208-230v, 60Hz, single or three phase.

DynaStar HH-E

Electric Tank Heat with
40-70° Rise Booster Heater

\$29,741 **QUICK-SHIP**

DynaStar HH-E W/O*

Electric Tank Heat
without Booster Heater, no pumped rinse

\$26,292



*Requires 180° F incoming water
†Kit required, sold separately

*Racks per hour calculated with NSF load time



TEMPSTAR® WITH VENTLESS & ENERGY RECOVERY



High Temperature Sanitizing Door-Type Dishmachine

No vent hood required. Accommodates a wide range of water inlet temperatures and operates with only a cold water connection. Single rack, electric tank heat, built-in booster heater with Sani-Sure™ final rinse system, 41 (39)* racks per hour, 0.89 gallons per rack, solid state controls, self-draining stainless steel wash pump, four selectable cycles, top mounted control panel, delime switch, auto start/stop, door interlock, pressure regulator, exhaust vent fan control, field convertible for straight-through to corner and vice versa†, field phase conversion capability†, front stainless steel dress panel. 208-230v, 60Hz, single or three phase.

\$30,161 **QUICK-SHIP**



TEMPSTAR®

High Temperature Sanitizing Door-Type Dishmachine

Single rack, electric tank heat, built-in booster heater with Sani-Sure™ final rinse system, 63 (58)* racks per hour, 0.89 gallons per rack, solid state controls, self-draining stainless steel wash pump, four selectable cycles, top mounted control panel, delime switch, auto start/stop, exhaust vent fan control, field convertible for straight-through to corner and vice versa†, field phase conversion capability†, front stainless steel dress panel. 208-230v, 60Hz, single or three phase.

TempStar

Electric Tank Heat with
40 or 70° Rise Booster Heater

\$22,848 **QUICK-SHIP**

TempStar W/O*

Electric Tank Heat
without Booster Heater

\$19,375

*Requires 180° F incoming water

†Kit required, sold separately

*Racks per hour calculated with NSF load time



TEMPSTAR® FL

WITH VENTLESS & ENERGY RECOVERY

Front-loading High Temperature Sanitizing Door-Type Dishmachine

No vent hood required. Accommodates a wide range of water inlet temperatures and operates with only a cold water connection. Front-loading, single rack, electric tank heat, built-in booster heater with Sani-Sure™ final rinse system, 41 (39)* racks per hour, 0.89 gallons per rack, solid state controls, self-draining stainless steel wash pump, four selectable cycles, top mounted control panel, delime switch, auto start/stop, door interlock, pressure regulator, exhaust vent fan control, field convertible for straight-through to corner and vice versa†, field phase conversion capability‡, front stainless steel dress panel. 208-230v, 60Hz, single or three phase.



\$32,209 *QUICK-SHIP*



TEMPSTAR® FL

Front-loading High Temperature Sanitizing Door-Type Dishmachine

Front-loading, single rack, electric tank heat, built-in booster heater with Sani-Sure™ final rinse system, 63 (58)* racks per hour, 0.89 gallons per rack, solid state controls, self-draining stainless steel wash pump, four selectable cycles, top mounted control panel, delime switch, auto start/stop, exhaust vent fan control, field convertible for straight-through to corner and vice versa†, field phase conversion capability‡, front stainless steel dress panel. 208-230v, 60Hz, single or three phase.

\$24,399 *QUICK-SHIP*

*Kit required, sold separately

†Racks per hour calculated with NSF load time



TEMPSTAR® HH-E WITH VENTLESS & ENERGY RECOVERY



High Temperature Sanitizing Door-Type Dishmachine with Tall Chamber

No vent hood required. Accommodates a wide range of water inlet temperatures and operates with only a cold water connection. Single rack, electric tank heat, built-in booster heater with Sani-Sure™ final rinse system, 27" clearance for larger wares, 40 (37)* racks per hour, 0.78 gallons per rack, dual counter-rotating lower wash arms, solid state controls, self-draining stainless steel wash pump, four selectable cycles, top mounted control panel, delime switch, auto start/stop, door interlock, pressure regulator, exhaust vent fan control, field convertible for straight-through to corner and vice versa†, field phase conversion capability†, front stainless steel dress panel. 208-230v, 60Hz, single or three phase.

\$34,731 **QUICK-SHIP**



TEMPSTAR® HH-E

High Temperature Sanitizing Door-Type Dishmachine with Tall Chamber

Single rack, electric tank heat, built-in booster heater with Sani-Sure™ final rinse system, 27" clearance for larger ware, 60 (55)* racks per hour, 0.78 gallons per rack, dual counter-rotating lower wash arms, solid state controls, self-draining stainless steel wash pump, four selectable cycles, top mounted control panel, delime switch, auto start/stop, exhaust vent fan control, field convertible for straight-through to corner and vice versa†, field phase conversion capability†, front stainless steel dress panel. 208-230v, 60Hz, single or three phase.

TempStar HH-E

Electric Tank Heat with
40 or 70° Rise Booster Heater

\$27,420 **QUICK-SHIP**

TempStar HH-E W/O*

Electric Tank Heat
without Booster Heater

\$23,945



*Requires 180° F incoming water
†Kit required, sold separately

*Racks per hour calculated with NSF load time



NXP-HTD

High Temperature Sanitizing Door-Type Dishmachine

Single rack, electric tank heat, built-in booster heater with Sani-Sure™ final rinse system, 63 (58)* racks per hour, 0.88 gallons per rack, solid state controls, self-draining stainless steel wash pump, top mounted control panel, digital LED temperature display, delime cycle, auto start/stop, exhaust vent fan control, field convertible for straight-through to corner and vice versa†, field phase conversion capability†. 208-230v, 60Hz, single or three phase.







\$16,862 **QUICK-SHIP**

*Kit required, sold separately

†Racks per hour calculated with NSF load time

GOOD	BETTER	BEST
 <p>NXP-HTD</p> <ul style="list-style-type: none"> Fresh water rinse Single cycle 	 <p>TEMPSTAR®</p> <ul style="list-style-type: none"> Fresh water rinse Four selectable cycles Tall chamber available Ventless w/Energy Recovery available 	 <p>DYNASTAR®</p> <ul style="list-style-type: none"> Pumped rinse Three selectable cycles Tall chamber available Ventless w/Energy Recovery available Adjustable rinse - Econo or Turbo Triple wash arm

High Temperature Sanitizing Door-Type Options & Accessories

 <p>1/2"</p> <p>Water Hammer Arrestor 05700-002-64-67 \$458</p>	 <p>3/4"</p> <p>TempStar VER Models Water Hammer Arrestor 05700-002-61-29 \$458</p>	 <p>Drain Water Tempering Kit 06401-004-85-80 \$1,381</p>	 <p>1/2"</p> <p>Pressure Regulator 04820-100-04-07 \$327</p>	 <p>Set of 4</p> <p>TempStar Models Flanged Feet (set of 4) 05340-002-34-86 \$365</p>	 <p>Set of 4</p> <p>TempStar HH-E Models & DynaStar Models Flanged Feet (set of 4) 05340-002-01-15 \$365</p>
460V Electrical (DynaStar & TempStar models).....\$1,136 208-230/60/1.....N/C External Exhaust Fan Contactor Kit 05700-004-35-35..... \$277 Door Interlock 05700-004-82-92 (DynaStar non-ventless models)..... \$3,163 05700-002-35-84 (TempStar non-ventless models)..... \$1,919 Scaltrol Water Treatment 04730-003-05-76.....\$641 Replacement Cartridge for Scaltrol RSC-100.....\$502 Security Package (DynaStar & TempStar models).....\$4,570					
DynaStar Models False Panel Kit 05700-004-67-60..... \$365 DynaStar HH-E Models False Panel Kit 06401-004-89-11..... \$458 TempStar Models False Panel Kit 05700-002-75-59..... \$365 TempStar HH-E Models False Panel Kit 05700-002-52-89..... \$458 NXP-HTD False Panel Kit 06401-005-14-75..... \$365					



CONSERVER® XL-E-LTH

Chemical Sanitizing Single Rack Door-Type Dishmachine with Booster Heater

Built-in booster heater ensures a continuous supply of 145 °F water for excellent results. Cleans 41 (39)* racks per hour, 1.02 gallons per rack, self-draining stainless steel wash pump assembly, electronic timer, top mounted control panel, three selectable timed cycles, delime switch, low chemical indicator light, built-in chemical pumps and priming switches, interchangeable upper and lower stainless steel wash/rinse arms, field convertible from straight-through to corner and vice versa†, auto start/stop, built-in stainless steel waste accumulator, internal sump. 208-230, 60Hz, single or three phase.

\$13,536 **QUICK-SHIP**



CONSERVER® XL-E

Chemical Sanitizing Single Rack Door-Type Dishmachine

Cleans 41 (39)* racks per hour, 1.02 gallons per rack, self-draining stainless steel wash pump assembly, electronic timer, top mounted control panel, delime switch, low chemical indicator light, built-in chemical pumps and priming switches, interchangeable upper and lower stainless steel wash/rinse arms, field convertible from straight-through to corner and vice versa†, auto start/stop, built-in stainless steel waste accumulator, internal sump. 115/60/1

\$10,054 **QUICK-SHIP**

†Kit required, sold separately

*Racks per hour calculated with NSF load time

**CONSERVER® XL-HH*****Chemical Sanitizing Single Rack Door-Type Dishmachine with Tall Chamber***

Cleans 41 (39)* racks per hour, 1.61 gallons per rack, 27" clearance for larger wares, self-draining stainless steel wash pump assembly, electronic timer, top mounted control panel, delime switch, low chemical indicator light, built-in chemical pumps and priming switches, interchangeable upper and lower stainless steel wash/rinse arms, field convertible from straight-through to corner and vice versa, auto start/stop, built-in stainless steel waste accumulator, internal sump. 115/60/1

\$13,057 **QUICK-SHIP****CONSERVER® XL-E-FL*****Chemical Sanitizing Front Loading Door-Type Dishmachine***

Cleans 41 (39)* racks per hour, 1.02 gallons per rack, self-draining stainless steel wash pump assembly, electronic timer, top mounted control panel, delime switch, low chemical indicator light, built-in chemical pumps and priming switches, interchangeable upper and lower stainless steel wash/rinse arms, auto start/stop, built-in stainless steel waste accumulator, internal sump. 115/60/1

\$10,736 **QUICK-SHIP****CONSERVER® XL2*****Chemical Sanitizing Dual Rack Door-Type Dishmachine***

Dual rack straight, 82 (74)* racks per hour, 1.17 gallons per rack, self-draining stainless steel wash pump assemblies, electronic timer, top mounted control panel, delime switch, low chemical indicator light, built-in chemical pumps and priming switches, interchangeable upper and lower stainless steel wash/rinse arms, auto start/stop, built-in stainless steel scrap accumulator, internal sump. 115/60/1

Conserver XL2**\$14,990****QUICK-SHIP****Conserver XL2C****\$15,903**

Same specifications as the Conserver XL2, except for corner installations.

Specify right front (R) or left front (L) door opening.

*Kit required, sold separately

*Racks per hour calculated with NSF load time

Conserver® Series Options & Accessories

 <p>Conserver XL-E-LTH, XL2 & XL2</p> <p>Water Hammer Arrestor 05700-002-61-29 \$458</p>	 <p>Conserver XL-E, XL-E-FL & XL-HH</p> <p>Water Hammer Arrestor 05700-002-64-67 \$458</p>	 <p>Conserver XL-E & XL-E-LTH</p> <p>False Panel Kit 06401-005-14-75 \$365</p>	 <p>Conserver XL-HH</p> <p>False Panel Kit 05700-002-52-89 \$458</p>	 <p>Conserver XL-E, XL-E-LTH, & XL-HH</p> <p>Front Dress Panel 05700-004-08-71 \$365</p>	 <p>Set of 4</p> <p>Flanged Feet (set of 4) 05340-002-34-86 \$365</p>
 <p>Conserver XL-E-LTH, XL2 & XL2</p> <p>Pressure Regulator 06685-011-58-22 \$365</p>	 <p>Conserver XL-E, XL-E-FL & XL-HH</p> <p>Pressure Regulator 04820-100-04-07 \$327</p>	 <p>Scaltrol Water Treatment 04730-003-05-76 \$641</p>	 <p>Cartridge for Scaltrol RSC-100 \$502</p>	<p>Low Product Audible Alarm 06401-003-93-47 \$365</p> <hr/> <p>230/60/1 \$1,006</p>	



MODEL 10

Round Dishmachine

High-temperature sanitizing dishmachine, 50 (45)* racks per hour, undercounter installation, counter-rotating wash arms, manual control back-up system, 17¼" inside chamber clearance, wash and rinse temperature gauges, external vacuum breaker, 6.5kW built-in 40 °F rise booster. 440, three phase, 60Hz, undercounter installation.

Model 10 AB/NSU **Call Factory**

Model 10 AB-N70

7.7kW Built-in Booster Heater (70°F rise) **Call Factory**

*Racks per hour calculated with NSF load time

Model 10 Options & Accessories

 <p>Round Peg Rack 07320-100-09-01 \$655</p>	 <p>Round Combination Rack 07320-100-13-01 \$525</p>	 <p>Silverware</p> <p>6-Compartment Basket 07320-100-08-01 \$259</p>	<p>Tall Chamber Option 5" taller than standard \$2,485</p> <hr/> <p>Drain Water Tempering Kit 06401-002-59-52 \$2,054</p>
--	--	--	---

RACKSTAR® SERIES**Single Tank Conveyor Dishmachine**

Single tank conveyor dishmachine, high temperature sanitizing, 224 racks per hour, adjustable rinse - Econo (0.38 gallons per rack) or Turbo (0.65 gallons per rack) with built-in booster heater (electric models), exclusive Rainbow Rinse™ arms, adjustable vent cowl collars, hinged doors with large front access for ease of maintenance, bottom mounted control panel with digital LED display, solid state controls, dual-pawl conveyor drive system, EnergyGuard™ system, 19-3/4" standard chamber height, automatic fill, delime switch, whisper-quiet stainless steel wash pump, exhaust vent fan control, 15' strike plate table limit switch. 208 or 230v, 60Hz, single or three phase.

**RACKSTAR 44****44" Conveyor****RackStar 44CE**

*Electric Tank Heat
High Temperature Sanitizing*

\$45,500**RackStar 44CS**

*Steam Tank Heat (Steam Booster
Heater Sold Separately)*

\$48,832**RackStar 44CE
Energy Recovery**

Electric Tank Heat with Energy Recovery

\$62,813**CHAMBER CLEARANCE**

Standard Height	19.75"
Higher Than Standard*	25.00"

**RACKSTAR 66****66" Conveyor (44" + 22" Pre-Wash)****RackStar 66CE**

*Electric Tank Heat
High Temperature Sanitizing*

\$67,698**RackStar 66CS**

*Steam Tank Heat (Steam Booster
Heater Sold Separately)*

\$71,026**RackStar 66CE
Energy Recovery**

Electric Tank Heat with Energy Recovery

\$85,009**CHAMBER CLEARANCE**

Standard Height	19.75"
Higher Than Standard*	25.00"

AJX-44 SERIES

Single Tank Conveyor Dishmachine

Single tank conveyor dishmachine, high temperature or chemical sanitizing, 225 racks per hour and 0.68 gallons per rack for high temperature, 209 racks per hour and 0.78 gallons per rack for chemical sanitizing, Adjust-A-Peak™ conveyor speed, EnergyGuard™ system, 25" tall chamber height, automatic fill, top mounted controls, manual/automatic switch, whisper-quiet stainless steel wash pump, exhaust vent fan control. 208 or 230v, 60Hz, single or three phase.




AJX-44

44" Conveyor

AJX-44CE/CEL

Electric Tank Heat - High Temperature
Sanitizing or Chemical Sanitizing
(Electric Booster Heater Sold Separately)

\$41,061



AJX-66

66" Conveyor (44" + 22" Pre-Wash)

AJX-66CE/CEL

Electric Tank Heat - High Temperature
Sanitizing or Chemical Sanitizing
(Electric Booster Heater Sold Separately)

\$63,265

CONVEYOR DIRECTION OF OPERATION

When ordering a conveyor dishmachine, it is important to specify not only the size, voltage, and any options and accessories needed, but it is also **EXTREMELY IMPORTANT** that the direction of operation is properly specified. If unsure, please use the drawings below to determine the correct direction of operation of your new conveyor dishmachine.

LEFT TO RIGHT DIRECTION OF OPERATION




RIGHT TO LEFT DIRECTION OF OPERATION



AJ-64 SERIES

Dual Tank Conveyor Dishmachine

Dual tank conveyor dishmachine, high temperature sanitizing, 287 racks per hour and 0.77 gallons per rack, Adjust-A-Peak™ conveyor speed, EnergyGuard™ system, 25" tall chamber height, automatic fill, top mounted controls, manual/automatic switch, whisper-quiet stainless steel wash pump, exhaust vent fan control. 208 or 230v, 60Hz, single or three phase.



AJ-64

64" Dual Tank Conveyor


AJ-64CE

Electric Tank Heat - High Temperature Sanitizing (Electric Booster Heater Sold Separately)

\$84,345

AJ-64CS

Steam Tank Heat (Steam Booster Heater Sold Separately)

\$88,784

AJ-86

86" Dual Tank Conveyor (64" + 22" Pre-Wash)


AJ-86CE

Electric Tank Heat - High Temperature Sanitizing (Electric Booster Heater Sold Separately)

\$110,978

AJ-86CS

Steam Tank Heat (Steam Booster Heater Sold Separately)

\$115,418

AJ-100

100" Dual Tank Conveyor (64" + 36" Pre-Wash)

AJ-100CE

Electric Tank Heat - High Temperature Sanitizing (Electric Booster Heater Sold Separately)

\$115,418

AJ-100CS

Steam Tank Heat (Steam Booster Heater Sold Separately)

\$119,855

Conveyor Options & Accessories

 <p>Set of 4</p> <p>Flanged Feet 05340-002-15-47 \$665</p>	 <p>Set of 2</p> <p>Vent Cowl Collars 05700-002-04-08 \$888</p>	 <p>1/2"</p> <p>RackStar & AJX Models Water Hammer Arrestor 05700-002-64-67 \$458</p>	 <p>3/4"</p> <p>AJ Models Water Hammer Arrestor 05700-002-61-29 \$458</p>	 <p>3/4"</p> <p>AJ Models Pressure Regulator 06685-011-58-22 \$365</p>	 <p>1/2"</p> <p>RackStar & AJX Models Pressure Regulator 04820-100-04-07 \$327</p>
 <p>Requires separate 120v electrical connection</p> <p>Drain Water Tempering Kit 06401-002-44-07 \$2,054</p>	 <p>Table Limit Switch 05700-002-88-07 Strike Plate \$778 (shown) 05700-002-06-83 Whisker Switch \$778</p>	 <p>Scaltrol Water Treatment 04730-003-05-76 \$641</p>	 <p>Cartridge for Scaltrol RSC-100 \$502</p>	 <p>Steam Booster Heater 05700-002-98-86 \$9,507</p>	

460V Electrical	All models.....	\$2,113
Dual Point Connection	AJX & AJ models.....	\$1,389
Single Point Connection	RackStar with onboard booster, 3-phase only.....	N/C
Higher than Standard Chamber Height	RackStar models	\$2,922
External Exhaust Fan Contactor Kit	05700-004-35-35	\$277
Side Loader	23" Unhooded	\$11,099
Side Loader	23" Hooded (AJ/AJX models).....	\$15,981
Side Loader	30" Unhooded.....	\$15,981
Side Loader	30" Hooded (AJ/AJX models).....	\$18,201
Blower Dryer	AJX & AJ models.....	\$22,196
Security Package	All conveyor models.....	\$9,989


Electric Booster Heaters

C-4 Hatco® 4kW	\$5,530	C-18 Hatco® 18kW	\$6,405
C-6 Hatco® 6kW	\$5,706	C-24 Hatco® 24kW	\$8,527
C-7 Hatco® 7kW	\$5,767	C-27 Hatco® 27kW	\$8,649
C-9 Hatco® 9kW	\$5,851	C-30 Hatco® 30kW	\$8,740
C-12 Hatco® 12kW	\$6,194	C-36 Hatco® 36kW	\$9,153
C-15 Hatco® 15kW	\$6,306	C-45 Hatco® 45kW	\$10,361
C-17 Hatco® 17.2kW	\$6,357	C-54 Hatco® 54kW	\$10,664

Recommended Booster Heater Sizing Chart

TEMPERATURE	RackStar 44/66	AJX-44	AJ-64	AJX-66	AJ-86	AJ-100
40°F RISE	C-12	C-17	C-36	C-17	C-36	C-36
70°F RISE	C-17/C-18*	C-30	C-45	C-30	C-45	C-45

*Booster size determined by voltage and phase. Contact Customer Service for further assistance.

FLIGHTSTAR[®]**Rackless Conveyor Dishmachine**

Sized & outfitted with options to specifically accommodate your foodservice operation

**Performance & Operation**


- Adjustable rinse system - Econo Rinse (50 gph) for normal operation and Turbo Rinse (92 gph) for heavier soiled loads
- Superior results & whisper-quiet operation with low heat radiation to the dish room
- Digital LED control interface with service diagnostics
- Swing stop mechanism pauses the conveyor for unloading
- Pulsed drive reverse prevents belt jamming
- Cleans up to 14,964 dishes per hour using only 50 gallons of water



Dual rinse system with Rainbow Rinse™ arms produces superior results while significantly reducing water consumption

Access & Maintenance

- Hinged doors for easy access inside the machine
- Easy to handle scrap screens fit inside all 20-55 gallon waste receptacles
- Improved venting duct with sloped-to-rear drain point
- Non-clogging wash arm nozzles reduce maintenance labor
- Delime mode



Specially designed wash arms with non-clogging, convex jets provide equalized water pressure and uniform cleanability

Serviceability

- Service diagnostics
- Front-mounted tank heater for easy access
- Wash pump motors are accessible from the front of the machine
- Reduced footprint with improved electrical layout

Assembly of all flight sections - including internal wiring, piping, thermometers and leveling of the machine - is performed by Jackson factory-authorized personnel. The Jackson factory-authorized personnel will also conduct a performance test and operator training at time of assembly. Final utility connections for plumbing and electrical shall be provided by others and should be conducted by an authorized and licensed tradesman in accordance with local, state and national building codes and guidelines. All Jackson Flight-Type machines come with a one-year Parts & Labor Warranty and a two-year Preventative Maintenance Program (PMP) through the local Jackson Authorized Service Agency (ASA).



LED digital display with service diagnostics displays the temperature of each tank

Call Factory for Quote

WATER TREATMENT



Scale Prevention Sys (SPS)
04730-003-28-03
\$1,049



Cartridge for SPS
04730-003-28-04
\$914



Scaltrol Water Treatment
04730-003-05-76
\$641



Cartridge for Scaltrol
RSC-100
\$502

DISHTABLES

DTC-S70-24L	Clean Side 24" - Left side installation.....	\$3,377	DTS-S70-36L	Soil Side 36" - Left side installation	\$6,101
DTC-S70-24R	Clean Side 24" - Right side installation.....	\$3,377	DTS-S70-36R	Soil Side 36" - Right side installation	\$6,101
DTC-S70-36L	Clean Side 36" - Left side installation.....	\$3,875	DTS-S70-48L	Soil Side 48" - Left side installation	\$6,309
DTC-S70-36R	Clean Side 36" - Right side installation.....	\$3,875	DTS-S70-48R	Soil Side 48" - Right side installation	\$6,309
DTC-S70-48L	Clean Side 48" - Left side installation	\$4,219	DTS-S70-72L	Soil Side 72" - Left side installation	\$6,850
DTC-S70-48R	Clean Side 48" - Right side installation.....	\$4,219	DTS-S70-72R	Soil Side 72" - Right side installation.....	\$6,850
DTC-S70-72L	Clean Side 72" - Left side installation.....	\$4,687	DTU-U60-48L	Undercounter Table 48" - Left side	\$5,842
DTC-S70-72R	Clean Side 72" - Right side installation.....	\$4,687	DTU-U60-48R	Undercounter Table 48" - Right side	\$5,842

Please Call Factory for Custom Dishtable Sizes & Specifications

DISHTABLE ACCESSORIES

B-2147M	Pre-rinse Spray for use with Overshelf	\$1,504	DT-6R-22-X	Overshelf 42"	\$2,326
B-2175M	Pre-rinse Spray for use w/o Overshelf	\$1,504	DT-6R-23-X	Overshelf 62"	\$2,586
07320-500-01-04	Scrap Block.....	\$691	DTA-100-X	Pre-rinse Basket with Slide Bar	\$1,306
DTA-SS-42	Undershelf 42"	\$2,326			

DISH RACKS



20x20 Combination Rack
07320-100-36-00
\$173



20x20 Peg Rack
07320-100-35-00
\$173



4-1/8" Tall
36-Compartment Rack
07320-002-86-70
\$173



5-5/8" Tall
36-Compartment Rack
07320-002-86-71
\$203



7" Tall
36-Compartment Rack
07320-002-86-72
\$211



Door-Type HH Models
Sheet Pan Rack
5010-BP
\$567



Conveyors
Sheet Pan Rack
5010-LS
\$567



Round Peg Rack
07320-100-09-01
\$655



Round Combination Rack
07320-100-13-01
\$525



Silverware
6-Compartment Basket
07320-100-08-01
\$259


GENERAL INFORMATION

TERMS OF SALE: Net 30 days.

PAYMENT OPTIONS: Checks, EFT payments, Visa, Mastercard, and American Express are accepted. When paying by credit card, cash discount terms do not apply and a three (3) percent credit processing fee is applied.

FREIGHT TERMS: F.O.B. Factory prepaid and allowed in the contiguous United States on Jackson manufactured dishmachines, subject to the following surcharges:

Lift-Gate Delivery (44" & smaller).....	\$125	Inside Delivery (44" & smaller).....	\$125
Call Prior to Delivery	\$50	Re-Consignment.....	\$75
Dock Reservation Required.....	\$50	Export Pallets	Call Factory
Guaranteed Delivery Date	Call Factory		

QUICK-SHIP PROGRAM: All items marked with  are part of Jackson’s standard configuration product offering and usually ship quicker than custom products. Please contact Jackson Customer Service for lead times.

RETURNS: All returns must be authorized in writing by Jackson and are subject to freight charges both ways, plus a restocking fee as outlined below.

PRODUCT CLASS	RESTOCKING FEE
Accessories	25%
Conveyors	50%
Door-Types	25%
Flight-Type	50%
Glasswashers	25%
Model 10 Units	50%
Undercounters	25%

ALL PRICES ARE IN U.S. DOLLARS.

ALL PRICES, TERMS, ITEMS & SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

FOR SPECIFIC DETAILS REGARDING PRODUCT SPECIFICATIONS, DIMENSIONS AND CERTIFICATIONS,
PLEASE REFER TO THE PRODUCT SPECIFICATION SHEET FOR THE INDIVIDUAL MODEL.

GENERAL INFORMATION

WARRANTY: For a period of one (1) year from date of original installation of a new Jackson dishmachine (but in no event to exceed eighteen (18) months from date of shipment from Jackson's factory), Jackson WWS, Inc. (Jackson) will repair or replace, at its discretion, any original part that proves defective in materials or workmanship at the time the dishmachine was purchased. For full details of our Manufacturer's Limited warranty, visit www.jacksonwws.com.

EXTENDED WARRANTY: Extended warranties are available on most* Jackson manufactured dishmachines and must be purchased at the time of equipment order. A one (1) year extended warranty is available at a rate of 6% of the machine's list price and a two (2) year extended warranty is available at a rate of 11% of the machine's list price.



FREE START-UP: Most* new Jackson manufactured dishmachines qualify for a Complimentary Performance & Installation Check by a Jackson Authorized Service Agency (ASA)*. When the machine is installed by a Jackson ASA, this complimentary service is provided at the time of installation.

When the installation is not performed by the local Jackson ASA we will still conduct the Complimentary Performance & Installation Check to verify the installation was done correctly and that the machine is operating properly. Contact your local Jackson ASA to arrange for this service.

**Jackson WWS limits travel time to two (2) hours and mileage to one hundred (100) miles round trip. Jackson WWS will not pay for travel time and mileage that exceed this, or any fees such as those for air or boat travel without prior authorization. For machines located beyond the above stated limitations, please contact Jackson Technical Service for assistance via phone, 1-888-800-5672.*

**NXP Series models are not eligible for extended warranties or Free Start-ups*

ABOUT JACKSON

Jackson WWS is a full-line supplier of high-quality commercial dishmachines including flights, conveyors, door-types, glasswashers and undercounters. Founded in 1925, Jackson stands by their "Clean the First Time®" commitment with dishmachines that deliver optimal cleaning performance while reducing labor, chemical and utility costs. With more standard features, lower operating and acquisition costs and our network of factory-certified technicians, Jackson sets the standard for warewashing. For more information about Jackson and its full line of warewashing solutions, please visit www.jacksonwws.com or call 1.888.800.5672.

Jackson WWS List Price Guide
October 1, 2025

Jackson WWS, Inc.

Shipping Address: 6209 North U.S. Highway 25E, Gray, KY 40734
Mailing Address: P.O. Box 1060, Barbourville, KY 40906
Telephone: 888-800-5672 • Fax: 606-523-1799
Email: customer.service@jacksonwws.com
07610-003-59-42 [10/01/25]

www.jacksonwws.com



CLICK or SCAN
to access the
Jackson website